



Managing Trees During Construction: Part One

The CEU article this month takes a look at how to prepare and care for trees through the many stages of construction. **Page 12**

DNA Test Identifies Wood Decay Fungi

Read about how this technology allows researchers to determine the type of decay afflicting a tree through unique laboratory tests. **Page 34**



The Case of the Bumpy Blackness

Dendro and Codit confront many enemies as they work to keep the red in their client's yard. **Page 20**



What's My Line? An Introduction to Rope

Learn the basics of rope. The many functions and limitations of rope are vital to the everyday arborist. **Page 38**

Don't Be Stumped!

There are several ways to remove a tree stump. This feature article explains these tactics, and analyzes their convenience. **Page 25**

President's Perspective: A Commitment to Perform

ISA President Lauren Lanphear offers an in-depth discussion about what it means to serve the international tree care community. **Page 46**



Urban Forestry and Carbon

Curious about the carbon reporting protocol? This feature article explains what the protocol means and the role carbon dioxide reduction plays in urban communities. **Page 31**

Climber's Corner: How Strong Is That Branch You've Tied-in To?

This issue's column takes a detailed look at how a climber can safely and accurately assess his or her climbing lines. **Page 50**



Editor's Branch	6	Climbers' Corner	50	Research You Need to Read	64
ISA Perspectives	7	Just for Fun	52	TREE Fund Update	66
Tree Industry Calendar	10	Headquarters' Bulletin	53	Professional Call for Presentations	67
What's Up at ISA	18	Pa. Game Lands	54	ISA Membership Application	69
Computer-Based Instruction	22	ISA Member News	56	Global Perspectives	70
Officer Speaks Out	37	Book Reviews	58	Arborist Marketplace	71
Profiles in Arboriculture	42	PR Update	60	Advertiser Index	71
How to Restore Trees After a Hurricane	47	Certification Information	61	2008 Article Index	72

Publications Agreement No. 1506226
ISSN 1542-2399



is a registered trade and service mark of the International Society of Arboriculture, Inc.



On the cover:
bur oak
(*Quercus macrocarpa*)
Photo credit:
Andrew Koeser

Your contributions to and comments about *Arborist News* are welcome. Please submit all materials to *Arborist News*, P.O. Box 3129, Champaign, IL 61826-3129. The deadline for the February issue is December 20, 2008.

Statement of Ownership *Arborist News* is published six times a year (bi-monthly) by the International Society of Arboriculture, a nonprofit professional association, as a service to its membership. Membership in ISA includes a subscription to *Arborist News*. Send change of address (U.S. and foreign except Canada) to Membership Department, ISA, P.O. Box 3129, Champaign, IL 61826-3129.

Canada Subscriptions: Canada Post Agreement Number 40032651. Send change of address information and blocks of undeliverable copies to P.O. Box 1051, Fort Erie, ON L2A 6C7.

Subscription Information Annual subscription price, including postage: US\$105. Subscription orders can be entered only by the calendar year (January–December) and should be sent to the publisher, ISA, P.O. Box 3129, Champaign, IL 61826-3129, U.S.

Claims for Missing Issues Claims for missing or damaged issues must be made within three months.

DETECTIVE DENDRO THE DIAGNOSTIC SLEUTH

By Guy Meilleur



The Case of the Bumpy Blackness

I was circling the property with my new client, Ruby Rubrum, as I inventoried the landscape. We were making our way around the backyard, me describing management options as she described her goals. Thinning cuts on the big zelkova (*Zelkova* spp.) would allow a little more light into the bedroom windows, and onto the azaleas (*Rhododendron* spp.) beneath. Removal cuts would raise the crapemyrtles

(*Lagerstroemia* spp.) over the driveway above car height, while reduction cuts would contain the *Prunus* × *yedoensis*, 'Yoshino' cherry that sprawled into our path. Thinning, removal, and reduction cuts were all required to restore and rejuvenate the repeatedly sheared viburnum (*Viburnum* spp.), quince (*Chaenomeles* spp.) and spiraea (*Spiraea* spp.) that composed the bed on the back border that buffered the small city park beyond the orange signs. Ruby agreed that she would have arborists manage all her woody plants, instead of having the shrubs topped by the "shear madness" of the turfgrass crew.

She also voiced her concern about homeless people in the park trespassing in her garden, so we looked at guying options to train those shrubs into an impenetrable wall. Codit was videotaping segments of the management plan as it developed, so she could review the DVD later. Codit could burn a DVD on the laptop in a matter of minutes, while I took a look around the site as I waited for the check. Many clients were glad to buy a DVD for a reasonable upcharge, and I was glad to have both the video record for my files and of course the extra income. In the back of my mind I was buying myself a dynamic cone soil penetrometer while I leaned toward Ruby and guided her eye to follow my gleaming green laser beam. The sparkling spot neatly traced the lines where a saw could remove horizontal branches from her favorite tree, a red maple that hung over her second story veranda.

Codit slid through the shrub border for the obligatory inspection of the trunk flare, as I pointed above the maple to the gleaming white belly of the hawk gliding above, and the V of honking geese heading south for the winter. Ruby gasped the crisp air, long and full, and our eyes met in silent appreciation. The last of the maple's fall color matched the strawberry highlights in Ruby's hair. I smiled, I leaned in closer, but suddenly Codit cried, "Whoa! What's this?" That kid has impeccably horrible timing, I thought as I painfully pulled away and joined him at the trunk.

"Whatcha got there Codit, a fire-breathing skink?" I asked as I dropped to one knee to look. I could see right away that Codit's



Figure 1. The black and brown discoloration, the foul smell, and insect swarms in the past caused the client to form some uncharitable opinions about her homeless neighbors. Can our team bring her gladder tidings this holiday season?

confused cry was not unfounded. There was a blotch of bumpy blackness at the base, surrounded by a brown stain. I pulled out my magnifying lens to get a closer look.


"Careful, don't get too close to that," Ruby warned as she came up behind us. "Early this summer that area smelled like skunky beer, and there were insects all around. Those homeless people must be doing some nasty business there—I wish someone would do something about them."

Codit pulled back in disgust, while I crumbled the crusty, coal-colored crud with the tip of my trowel. "Ruby, despite its appearance I'm not sure this is scat, human or otherwise. I'd like to explore other possibilities." I handed my hesitant assistant said trowel as I reached into our bag of diagnostic tools for the field guide. "Keep your gloves and eye protection on and you'll be fine, Codit."

"I don't know what else could explain the vile stench of vomit, the insects, and the brown stain," Ruby replied. "If you can solve this mystery while I fill these bird feeders for my winter visitors, I would be ever so grateful."

Codit slowly started cleaning the site as my fingers flew through the pages, hoping to find the solution that would earn a most welcome reward.

*Will our team discover what is stinking up this beautiful yard?
See page 62 for the solution.*



THE CARE OF TREES / THE DAVEY TREE EXPERT COMPANY

How to Apply

Potential candidates for the ISA Certified Tree Worker/ Aerial Lift Specialist can contact ISA today in order to get a copy of the program application. The application is also available on the ISA website (at www.isa-arbor.com). The application is in a booklet form and explains the program in detail. Candidates for this credential may also contact ISA's Certification department should the applicant have any questions.

Additionally, individuals currently in possession of an ISA Certified Tree Worker/Climber Specialist credential have the opportunity to obtain this newer, Aerial Lift credential by taking *only* the Aerial Lift skills component in order to become an ISA Certified Tree Worker/ Aerial Lift Specialist. The written portion of the exam is the same for both credentials and an applicant's safe demonstration of the use of an aerial bucket truck will be the only requirement necessary to award the credential. **ATN**



WHAT'S THE DIAGNOSIS?

"My goodness, what's all this?" Ruby asked as she brushed the birdseed off her hands.

"Our first clue was the absence of a trunk flare. We exposed the primary roots coming off the trunk, like the buttresses you can see on those trees in the park," I said. "As

we did our RCX—root crown examination—we found a large root squeezing the stem, right below the stained area on the trunk.

Stem tissues adjacent to girdling roots are often softened by decay, especially if they are buried over six inches (15 cm) like this one. This problem began when your lot was leveled for construction, and roots were forced to grow upward through the fill."

"I removed the dead bark on the left side of the wound," Codit added. "There is little callus—"scar"—tissue on the margin, indicating that the tree is succumbing to the decay. The black bumps resemble the

fungal fruiting bodies of the decay fungi *Inonotus* or *Kretzschmaria*, aka 'hypoxylon'. It's hard to tell them apart, but both of them are known to foresters

as "butt rotters," causing basal decay on the underside where we cannot see."¹

Codit continued: "Last year a tree with a lot of these black bumps at the base fell over just from the weight of my friend climbing it, and he got busted up pretty bad. On this tree, the high target rating and the low vitality evidenced by the absence of callus create a high risk that, lacking a tomograph or radar, we must invasively assess. I drilled into this trunk with our slim drill bit to see how soft it was. The decay was about 4

inch (10 cm) deep on this 22 inches (56 cm) diameter tree."

"My assistant is learning the books well, along with the other tools of the trade," I nodded to Ruby. "*Inonotus* conks are typically larger, so I am agreeing with the hypoxylon theory. That pest starts out as a soft rotter, degrading both cellulose and lignin. It oozes enzymes that cause the cellular walls to come tumbling down. A tree with high vitality can resist its spread, but this one's been suffocated for a decade, and it's tired of holding its breath."

"Oh, my poor red maple!" Ruby cried. "But Detective, how does this explain that foul smell, and the insects?" Ruby wondered.

"While I was cleaning dead bark off the trunk I noticed some was slimy," Codit wrinkled his nose as he held up his hand. Ruby leaned in cautiously to smell the glove, and quickly pulled back.

"That is indeed frothy flux," I explained. "aka "alcoholic" or "white" flux, caused by a cocktail of soil organisms. It often infects older oaks, entering the included bark between buttresses, but suffocation and strangulation weakened this middle-aged maple's defenses enough for those organisms to enter without wounds. The pressure of multiplying microorganisms and that stinky ethanol gas they produce pushes the bark away from the wood, killing the vital cambium tissues. Frothy flux can be treated by cleaning and soil replacement, so the infections dry up and the wounds close. But frothy flux appears to be the least of this tree's problems."

"You got that right, Dendro!" Codit called



Figure 2. The fill dirt is removed, and the girdling root cut. The "porpoise" root next to the orange chisel handle grows upward. There is no callus on the exposed left margin of the wound, and the decay on the right side is four inches (10 cm) deep.

from the other side of the tree. “Look at these ‘shrooms back here!”

I pulled back the shrubs, to see the tree was under attack on several fronts. “That should teach us to do a 360-degree inspection with the mallet on trees first, eh, Cudit?”² I groaned as I bent to inspect the smooth white base of a *Ganoderma lucidum* conk in a crevice, and then watched as Cudit’s drill went in over four inches (10 cm) behind it before meeting resistance and twisting out tissue that was bright, fibrous, and alive.

“Two decay fungi across from each other—that’s a pincer move, not good,” I confessed to Ruby. “These bright gold mushrooms (conks with stems) grew out of the tree at the soil line, but the bark beneath them is alive. It has no black ‘shoestrings’ that indicate the decay fungus *Armillaria* and neither does the nearby soil. We have packed up a few mushrooms, and will try to dry them out to see if white *Armillaria* spores are released.”³ Still, with two other decay fungi identified and so few defenses active in the tree, its prognosis is poor no matter what treatments are done for it.”

“I would hate to lose my favorite tree. How can I replace its beautiful color?” she pleaded.

“In many ways,” I replied, coming to the rescue. “See that Virginia creeper (*Parthenocissus quinquefolia*) climbing those trees in the park—those few red leaves that remain? That species of vine usually doesn’t hurt its supporting tree, because its single stem does not conceal its base from inspection, and its top stays inside the tree’s crown. The red color of your dogwoods (*Cornus* spp.) nearby will be brighter with the maple gone, because more anthocyanins will be made.”⁴ Improved soil management, such as a layer of mulch up to four inches (10 cm) thick and extending beyond the drip line, will help them not just survive, but to thrive.”

“That mistletoe on the dogwood branch detracts from the tree’s fall color display, as well as its health, so it should be removed and used in your holiday decorations. You can also enjoy the rich color of the inner wood every day if you have that part of the log I’m circling with my laser carved into a statue of a hawk. Perching as proudly as the Maltese Falcon, it may give you fond memories.”

“A most excellent suggestion,” Ruby answered, her eyes knowingly locking onto mine. “I also feel a much brighter holiday spirit knowing it was not homeless people but uncontrolled and uncorrected construction



Figure 3: The *Ganoderma* conk at the base has a smooth white underside. The mushrooms on the right resemble *Armillaria*, but so do many other fungi. The process of diagnosis is still underway, so the identification has yet to be made.

activity that fouled up my garden. Please see that all the work you describe is carried out, and have the bills sent to my office.”

Back home a few weeks later, I finished wrapping the new penetrometer, and put it under the tree. The wood carver called to say the hawk was finished. I put my feet up by the fireplace and started viewing the Rubrum Consultation on my laptop. I want to be well prepared when I deliver the mistletoe and the hawk, and wish Ruby a Happy New Year!

References

- ¹Sinclair, Wayne A., Howard H. Lyon and Warren T. Johnson. 2005. *Diseases of Trees and Shrubs*. 2nd Ed. International Society of Arboriculture. Champaign, IL. 676 pp.
- ²*Introduction to Arboriculture: Diagnosis & Disorders CD*. 2005. International Society of Arboriculture. Champaign, IL.
- ³Luley, Christopher J. 2005. *Wood Decay Fungi: Common to Urban Living Trees in the Northwest and Central United States*. International Society of Arboriculture. Champaign, IL. 58 pp.
- ⁴Dawson, Jeffrey O. Why Tree Leaves Turn Color in Autumn. *Arborist News*. Aug. 2008: 12-16.

Guy Meilleur is an ISA Certified Tree Worker and international consulting arborist, climbing trees as an antidote to aging.